

Exercises for Computability and Complexity, Spring 2019, Sheet 1 – Solutions

As in the FLL course, you may work in miniteams of two (but not more).

Please return on Tuesday Feb 12 in class.

Exercise 1 Give a transition table for a TM that computes the function $f(n) = 2n$. The TM should have the tape alphabet $\{0, 1, \triangleright, \sqcup\}$ and numbers are coded as binary strings by writing them to base 2.

Solution. That's an easy one. Multiplying n by 2 means to append a 0 at the binary representation of n . A table for such a TM:

$p \in K$	$\sigma \in \Sigma$	$\delta(q, \sigma)$	comment
s	\triangleright	$(s, \triangleright, \rightarrow)$	get started
s	0	$(s, 0, \rightarrow)$	reading a 0, just move on to the right
s	1	$(s, 1, \rightarrow)$	reading a 1, just move on to the right
s	\sqcup	$(h, 1, -)$	hitting the first blank, replace it by 1, halt

Exercise 2 If one would admit TMs with countably many states, would this extend the set of TM-computable functions on the integers? In other words, is there a function $f: \mathbb{N} \rightarrow \mathbb{N}$ which can be computed by some TM with countably infinitely many states, but not by any ordinary TM? Sketch a proof for your answer.

Solution. With infinitely many states one can indeed "compute" more functions than with finitely many states. (In fact, with such a machine one could "compute" *every* function on the integers.) To see why, let $f: \mathbb{N} \rightarrow \{0, 1\}$ be *any* function with binary values on the integers (that is, f picks a subset of the integers – and any subset can be thus picked by some such f – that is, there must be uncountably many such f , which in turn means that almost all of these f are not Turing-computable). Arrange an infinite-state TM M with state set $K \supseteq \{s_1, s_2, \dots\}$ such that on input n , M first goes to s_n (how can this be done? needs a subroutine) and then outputs $f(n)$ due to a hardwired answer-table-lookup rule of the form $\delta(s_n, a) = (h, f(n), -)$.